



Tennessee Department of Environment and Conservation,
Division of Water Pollution Control
401 Church Street, 6th Floor L & C Annex, Nashville, TN 37243
(615) 532-0625

**CONCENTRATED ANIMAL FEEDING OPERATION (CAFO)
STATE OPERATING PERMIT (SOP)
NOTICE OF INTENT (NOI)**

Type of permit you are requesting: ☐ SOPCD0000 (designed to discharge) ☒ SOPC00000 (no discharge) ☐ Unknown, please advise
Application type: ☐ New Permit ☐ Permit Reissuance ☐ Permit Modification
If this NOI is submitted for Permit Modification or Reissuance provide the existing permit tracking number: _____

OPERATION IDENTIFICATION

Operation Name: <u>D+J Farms</u>		County: <u>MACON</u>
Operation Location/ Physical Address: <u>2440 Coleytown Road Safayette TN 37083</u>		Latitude: <u>N 36.50727936</u> Longitude: <u>W 85.96885185</u>
Name and distance to nearest receiving water(s): <u>500' White Oak Creek</u>		
If any other State or Federal Water/Wastewater Permits have been obtained for this site, list those permit numbers:		
Animal Type: <input checked="" type="checkbox"/> Poultry <input type="checkbox"/> Swine <input type="checkbox"/> Dairy <input type="checkbox"/> Beef <input type="checkbox"/> Other _____		
Number of Animals: <u>95,000</u>	Number of Barns: <u>4</u>	Name of Integrator: <u>Morning (Keystone)</u>
Type of Animal Waste Management: (check all that apply) <input checked="" type="checkbox"/> Dry <input type="checkbox"/> Liquid <input type="checkbox"/> Liquid, Closed System (i.e. covered tank, under barn pit, etc.)		
Attach the NMP <input checked="" type="checkbox"/> NMP Attached	Attach the closure plan <input type="checkbox"/> Closure Plan Attached	Attach a topographic map <input type="checkbox"/> Map Attached

PERMITTEE IDENTIFICATION

Official Contact (applicant): <u>Dewey A. Swindle</u>	Title or Position: <u>Owner</u>		<input type="checkbox"/> Correspondence <input type="checkbox"/> Invoice
Mailing Address: <u>587 Coleytown Rd.</u>	City: <u>Safayette</u>	State: <u>TN</u> Zip: <u>37083</u>	
Phone number(s): <u>615-666-8004</u>	E-mail: <u>tswindle@P.LegumesRide.com</u>		
Optional Contact:	Title or Position:		<input type="checkbox"/> Correspondence <input type="checkbox"/> Invoice
Address:	City:	State: Zip:	
Phone number(s):	E-mail:		

APPLICATION CERTIFICATION AND SIGNATURE (must be signed in accordance with the requirements of Rule 1200-4-5-.05)

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name and title, print or type <u>Dewey A. Swindle</u>	Signature <u>Dewey A. Swindle</u>	Date <u>8-11-10</u>
--	--------------------------------------	------------------------

STATE USE ONLY

Received Date	Reviewer: <u>EEO</u>	EFO: <u>Cookeville</u>	T & E Aquatic Fauna	Tracking No. <u>SOPC000416</u>
RECEIVED	Impaired Receiving Stream		High Quality Water	NOC Date <u>11-23-10</u>

SEP 01 2010
CN 1147 (Rev. 7-10)

continued

RDA 2366

Permit Section

AUG 30 2010



TENNESSEE DEPARTMENT OF AGRICULTURE

Water Resources Program

SOPC00046

TNA000001

The following individual has submitted all required elements of an NMP/CNMP as required to obtain a CAFO permit. Their Nutrient Management Plan (or CNMP) has been reviewed and approved by this office.

Name of Owner/Operator: Dewey Swindle

Operation Name: D + J Farms


Address of Operation: 2440 Coleytown Road Lafayette, TN 37083

Phone Number: (615) 666-8004 County: Macon


Date application was initiated:




Date approval forwarded to TDEC:



NMP/CNMP Approval Date:



Date approval received by TDEC



TDA Reviewer's Name: Sam Marshall

TDA Reviewer's Signature: Sam Marshall August 31, 2010
Date

02/15/10

NTJ Farms

9

Nutrient Management Plan Requirements

The following 9 items need to be submitted at the time the permit is applied for. Additional record-keeping items as outlined in the CAFO rules are also considered part of the nutrient management plan and must be kept on-site. More information on each item can be found in the CAFO rule (1200-4-5-.14).

- ☒ 1. **Two maps:** (1.) A map of your farm showing location of any animal barns/houses, compost bins, litter storage bins, manure lagoons/holding ponds, nearby roads, fields to which litter/manure will be applied, and non-application buffer areas around any bodies of water (streams, creeks, rivers, ponds, wells, sinkholes, springs, wetlands, etc.). A hand-drawn map is acceptable and even preferred. (2.) A topographic map of the farm (1:24000 scale, showing 1-mile radius from farm) showing property lines.
- ☒ 2. **Nutrient budget** – this is basically a balance sheet of all manure produced on the farm and all manure spread on the farm or removed from the farm. Application rates for all fields should be based on crop needs, realistic crop yield expectations, and actual manure analyses of nutrient content.
- ☒ 3. **Soil test results** for phosphorus and potassium for each application field. These must be taken at a minimum of every five years.
- ☒ 4. Results of **manure analysis** from within the past year. Annual manure testing is a requirement for all CAFOs. These results must be included with initial permit application if the farm is in operation. If the farm that is applying for the permit is new and not yet operating, then manure testing results need to be obtained once operation begins. At that point, the manure test results and revised application rates need to be submitted to TDA. Manure test results in subsequent years need to be kept as part of your record-keeping activities.
- N/A ☐ 5. Results of the **Phosphorus Index** applied to each field that has a soil test P value of "High" or "Very High". In those situations, this tool will determine whether your application rates will be based on nitrogen or phosphorus.
- ☒ 6. Statement regarding method of **dead animal disposal**.
- ☒ 7. **Closure Plan** to be implemented in the event animal production ceases on the site.

These last two items are only required for medium-size CAFOs that manage **liquid manure**.

- N/A ☒ 8. Documentation of **design of liquid waste handling system**. This should include, but is not limited to: volume for solids accumulation, design treatment volume, total design volume, the approximate number of days of storage capacity, pumping and routing of wastes, and any solid separation process. Ideally, this documentation would consist of the pertinent engineering drawings with accompanying descriptive narrative.
- ☐ 9. The construction, modification, repair, or installation of any portion of a CAFO liquid waste handling system (such as earthen holding pond, treatment lagoon, pit, sump or other earthen storage/containment structure) after April 13, 2006 must be preceded by a thorough **subsurface investigation**. This investigation will include a detailed soils investigation with special attention to the water table depth and seepage potential.

In addition to the items above, the following form(s) must accompany your application:

- ☒ **Notice of Intent form** must be submitted with all applications from Class II (Medium) CAFOs **OR**
- N/A ☐ **EPA Forms 1 and 2B** must be submitted with all applications from Class I (Large) CAFOs.
- ☒ **Addendum to Nutrient Management Plan.**

RECEIVED

SEP 01 2010

Permit Section

Closure Plan

In the event that broiler production at this location ceases, the following will be done within 360 days:

- Any litter/compost currently in storage at the time of closure will be removed and spread on the farm or spread elsewhere according to my Nutrient Management Plan.
- All litter in houses will be removed and spread on the farm or spread elsewhere according to my Nutrient Management Plan.
- All land application of litter will be done at application rates calculated in the Nutrient Management Plan.
- The most current litter analysis will be provided to anyone removing litter from the farm.
- Any dead birds in the houses at the time of closure will be composted.

Dewey A. Swindle

Date: 8-23-10

RECEIVED

SEP 01 2010

Permit Section

RECEIVED

AUG 30 2010

Addendum to Nutrient Management Plan:

By my signature below, I affirm that I have read, understand, and will comply with the following stipulations from Tennessee's CAFO rule (1200-4-5-.14) that apply to my CAFO operation.

- 1) All clean water (including rainfall) is diverted, as appropriate, from the production area.
- 2) All animals in confinement are prevented from coming in direct contact with waters of the state.
- 3) All chemicals and other contaminants handled on-site are not disposed of in any manure, litter, process wastewater, or storm water storage or treatment system unless specifically designed to treat such chemicals and other contaminants.
- 4) All sampling of soil and manure/litter is conducted according to protocols developed by UT Extension.
- 5) All records outlined in 1200-4-5-.14(16)d-f will be maintained and available on-site.
- 6) Any confinement buildings, waste/wastewater handling or treatment systems, lagoons, holding ponds, and any other agricultural waste containment/treatment structures constructed after April 13, 2006 are or will be located in accordance with NRCS Conservation Practice Standard 313.
- 7) Drystacks of manure or stockpiles of litter are always kept covered under roof or tarps.
- 8) An *Annual Report* will be written for my operation and submitted between January 1 and February 15 of each year. It will include all information required by rule [1200-4-5-.14(16)g].

Denny A. Sindle
Signature of CAFO Operator:

8.4.09
Date:

RECEIVED

SEP 01 2010

Permit Section

RECEIVED

AUG 17 2009

7 Swindle

D & J Farms Nutrient Management Plan

Operation:

A four house broiler farm that produces birds presently for Keystone Foods. Capacity is 92,000 birds per house with six flocks per year maximum cycles. Litter production is based on 2.1 lbs per bird with annual production of 662 tons (assuming 6 cycles per year).

Litter Management:

Litter is de-caked between each flock and is stored in a litter storage shed awaiting land application or sales to third parties. Total clean out is performed no more than once a year and can stretch to every third year depending on conditions inside the house. Annual litter analysis is performed to monitor the N-P-K content of the natural resource.

Fertilizer Application:

Fertilizer is applied on the basis of annual soil sample for individual fields on four different farms that are tributary to this broiler operation. Phosphorous levels are monitored closely and if no "P" is called for none is applied to the fields. Commercial fertilizer will be purchased and applied on Nitrogen needs as well as Potassium. This is the simplest and cheapest way we have found to manage the P in the soils. If litter is spread on the farm it will be applied on the rate of 1.5 tons per acre and using the most recent P205 level on our litter that would be equivalent to 70lbs of phosphorous. We will not spread litter until the test calls for at least 60/lbs per acre of P as time and economics don't work for our operation to spread at the lower rate, thus we revert to the commercial application.

Table of Soil samples for the 4 tributary farms:

Mar-10									
Sample	Field	Acres	Crop	Soil PH	N Rate	Soil Test P	P205 Rate	Soil Test K	K20 Rate
jb1	J1-B	7	Fescue	6.7	60/120	M	30	L	60
j2	J2	3	Fescue	6.3	60/120	H	0	M	30
jf2	J1-2A	6	Fescue	6.9	60/165	M	30	L	60
jf3	J1-3A	5	Fescue	7	60/165	H	30	L	60
J5	J5 A	4	Fescue	6.4	60-120	M	30	V	0
j4	J5B-C	6	Fescue	6.4	60/120	H	0	M	30
j3	J3 A-B	7	Fescue	6.3	0/90	M	30	L	60
	J9	7	Fescue	6.5	0/90	H	0	L	60
	J10	9	Fescue	6.5	0/90	H	0	L	60
	B4	5	Fescue	6.4	0/90	M	30	M	30
	B5	4	Fescue	6.3	60/120	M	30	M	30
	B3	10	Fescue	6.3	60/120	L	60	H	0
B6	B6-7-8	9	Fescue	6.3	60/120	V	0	M	30
S1	S1-S1 A	22	Fescue	6.3	30/120	H	0	L	60
	S2	9	Fescue	6.4	0/90	L	60	H	0
T1 A	TA-1	16	Fescue	6.6	30/120	H	0	L	60
T1 B	TB-1	4	Fescue	6.4	30/120	H	0	H	0
	T2	10	Fescue	6.7	30/120	H	0	L	60

On a regular basis litter is sold off the farm to local tobacco producers. A nutrient profile is available upon request and records are kept as to whom the sales occur.

RECEIVED

SEP 01 2010

Permit Section

SEP 28 2010

Tow Samelle

**Results of Litte Analysis on a as is basis (lbs/ton)
using average of two samples**

Nutrient	Analysis	All 4 Houses
Nitrogen	30.6	20269
Phosphorus (as P2 O5)	46.75	30948
Potassium (as K 2 O)	40.6	26877

RECEIVED

SEP 01 2010

Permit Section

PHOTOGRAPH

AUG 24 2010

Form 1

NUTRIENT MANAGEMENT PLAN FOR THE POULTRY INDUSTRY

GENERAL INFORMATION

Name of farm D + J Farms

County

Farm owner's name Dewey A. Swindle

Macon

Telephone no.

Mailing address 2440 Coleytown Rd

615-666-2277

Jafayette, TN 37083

Zip

TYPE OF POULTRY FARM OPERATION (check all that apply)

Farm situation

Type of poultry

☒ Existing

☐ New

☐ Expanding

☒ Broilers

☐ Broiler breeder replacements

☐ Broiler breeders

☐ Table egg type hens

☐ Table egg type replacements

Farm owner signature Dewey Swindle Date: 8-4-09

Name of the person if the farm is leased and/or operated by someone other than the farm owner:
Dewey A. Swindle

Signature Dewey A. Swindle Date 8-4-09

Assistance in completing this nutrient management plan was provided by: (check all that apply)

☒ University of Tennessee Agricultural Extension Service

☒ Natural Resources Conservation Service

☐ Private consultant

☐ Other _____
(name)

THIS PAGE MUST BE SUBMITTED TO THE TENNESSEE DEPARTMENT OF AGRICULTURE
TO OBTAIN A CAFO II GENERAL PERMIT

RECEIVED

SEP 01 2010

Permit Section

RECEIVED

AUG 17 2009

Form 2

CALCULATING POULTRY LITTER PRODUCTION

The total tons of poultry litter produced on your farm can be estimated by using one or more of the following methods:

Broilers

	Example	Your farm
a. Total number of birds on farm per flock	<u>50,000</u> birds	<u>92,000</u>
b. Number of flocks per year	<u>6</u> flocks	<u>6</u>
c. Total farm bird capacity (a x b)	<u>300,000</u> birds	<u>552,000</u>
d. Pounds of litter produced per bird (see Table 5)	<u>2.1</u> pounds	<u>2.4</u>
e. Pounds of litter produced per year (c x d)	<u>630,000</u> pounds	<u>1,324,800</u>
f. Tons of litter per year (e ÷ 2000)	<u>315</u> tons	<u>662.4</u>

Pullets (Broiler Breeder or Table -egg -type)

	Example	Your farm
a. Total number of birds on farm per flock	<u>22,000</u> birds	_____
b. Number of flocks per year	<u>2</u> flocks	_____
c. Total farm bird capacity (a x b)	<u>44,000</u> birds	_____
d. Pounds of litter produced per bird (see Table 5)	<u>5</u> pounds	_____
e. Pounds of litter produced per year (c x d)	<u>220,000</u> pounds	_____
f. Tons of litter per year (e ÷ 2000)	<u>110</u> tons	_____

Hens (Broiler Breeder or Table-egg-type)

	Example	Your farm
a. Total number of birds on farm per flock	<u>20,000</u> birds	_____
b. Number of flocks per year	<u>1</u> flocks	_____
c. Total farm bird capacity (a x b)	<u>20,000</u> birds	_____
d. Pounds of litter produced per bird (see Table 5)	<u>35</u> pounds	_____
e. Pounds of litter produced per year (c x d)	<u>700,000</u> pounds	_____
f. Tons of litter per year (e ÷ 2000)	<u>350</u> tons	_____

**THIS PAGE MUST BE SUBMITTED TO THE TENNESSEE DEPARTMENT OF AGRICULTURE
TO OBTAIN A CAFO II GENERAL PERMIT**

RECEIVED

SEP 01 2010

Permit Section

RECEIVED

AUG 17 2009

Crop*	Acres	Application Rate (tons/acre)	Litter Utilized (tons)
Fescue Pasture	100 acres	1.5	150
Fescue Hay	80 acres	1.5	120

*Information for this chart will come from the worksheet for each crop.

Total tons needed to meet crop
nitrogen requirements 270
Total tons produced on your farm 662

Poultry Litter Use

Tons of litter used in owners farming operation
-Fertilizer 270
-Feed _____
-Other _____

Tons of litter removed from poultry farm by owner 270

Tons of litter removed from poultry farm by others 392

Total tons of litter used in farming operation and removed from farm 662

Manure Handling Methods (check all that apply or will apply)

- ☒ Litter taken directly to fields on the farm
- ☐ Litter stockpiled and covered with plastic
- ☒ Litter stockpiled in a building
- ☒ Litter used in a composter
- ☒ Litter sold or given away
- ☐ Litter used as cattle feed
- ☐ Litter removed from the farm by the poultry farmer
- ☒ Litter removed from the farm by a third party
- ☐ Litter used as a fuel in a heating system
- ☐ Other _____
specify

Dead Bird Disposal Method

- ☒ Composting
- ☐ Incineration
- ☐ Covered in ground pit burial
- ☐ Permitted landfill
- ☐ Rendering
- ☐ Other _____
specify

RECEIVED

SEP 01 2010

Permit Section

THIS PAGE MUST BE SUBMITTED TO THE TENNESSEE DEPARTMENT OF AGRICULTURE
TO OBTAIN A CAFO II GENERAL PERMIT

Note: If soil samples don't call for "P" no litter is used on the farm. Manure will be sold or either stored in litter sheds

Dewey A. Seay
8-11-10

AGRICULTURAL DIAGNOSTIC LABORATORY

UNIVERSITY OF ARKANSAS - FAYETTEVILLE

***MANURE FOR FERTILIZER ANALYSIS (report for AGRI-429)

Name:	DEWEY SWINDLE	Received in lab:	3/29/2010
Address:	2440 COLEYTOWN RD.	Mailed:	4/02/2010
City:	LAFAYETTE	State, Zip:	TN 37083
County:	MACON (TN)	CK#:	2022

Lab. No.	M100445	M100446			
Sample No.	1	2			
Animal type	broilers	broilers			
-age/lbs	7 wk/6.75 lbs	7 wk/6.75 lbs			
Bedding type	shavings/sawdust	none given			
Manure type	cake	dead bird composter			
Sample date	3/22/2010	3/22/2010			
Age of manure	1 yr	none given			
pH	8.7	8.7			
EC(umhos/cm)	13600	14100			
% H2O	29.89	63.68			

on dry basis

Total %N	4.11	4.21			
Total %P	1.63	2.49			
Total %K	3.91	4.61			
Total %Ca	3.44	5.04			
Total %Carbon	36.47	34.94			
NO3-N, mg/kg					
NH4-N, mg/kg					

on "as-is" basis

Total %N	2.88	1.53			
Total %P	1.14	0.90			
Total %K	2.74	1.68			
Total %Ca	2.41	1.83			
Total %Carbon	25.57	12.69			
NO3-N, mg/kg					
NH4-N, mg/kg					

lbs/ton on "as-is" basis

N	57.6	30.6			
P2O5	52.2	41.3			
K2O	66.3	40.6			
Ca	48.2	36.6			
Total Carbon	511.4	253.8			
NO3-N					
NH4-N					

***all analyses performed on "as-is" basis/ "dry" basis is calculated from moisture content

*lbs/ton P2O5 = %Total P on "as-is" basis multiplied by 20*2.29

*lbs/ton K2O = %Total K on "as-is" basis multiplied by 20*1.2

RECEIVED

SEP 01 2010

Permit Section

SOIL TEST REPORT

DEWEY SWINDLE
2440 COLEYTOWN ROAD

LAFAYETTE, TN 37083

Deborah K. Joines
Deborah K. Joines
Manager
Soil, Plant and Pest Center
5201 Marchant Drive
Nashville, TN 37211-5112
(615) 832-5850
soilplantpestcenter@utk.edu

Date Tested: 3/25/2010

County: Macon

Lab Number: 383761

Mehlich 1 SOIL TEST RESULTS and RATINGS*

Sample ID	B4	(Pounds Per Acre)											
Water pH	Buffer Value	P Phosphorus	K Potassium	Ca Calcium	Mg Magnesium	Zn Zinc	Cu Copper	Fe Iron	Mn Manganese	B Boron	Na Sodium	S Sulfur	Nitrate (ppm)
6.4		24 M	101 M	1479 S	361 S								
		Organic Matter %	Soluble Salts PPM**										

RECOMMENDATIONS

B4

Fertilizer/Lime Application Rate and Timing

Grass-Clover Pasture b. Maintenance

N / P₂O₅ / K₂O

Nitrogen/Phosphate/Potash: 0-90 / 30 / 30 pounds per acre

Limestone:

Lime is not recommended at this time

The nitrogen should be omitted on pastures containing more than 30 percent clover in the spring, otherwise if clover is less than 30 percent of the pasture apply 30 pounds of nitrogen per acre between March 1-30. For fall stockpiling of fescue apply 60 pounds of N per acre August 15 to September 15 to all fescue-clover mixtures.

Apply recommended amounts of phosphate and potash in one application anytime during the year. If more than 4 tons of lime per acre are required, apply only 4 tons of lime per acre and re-test after one year.

County: Macon

Lab Number: 383762

Mehlich 1 SOIL TEST RESULTS and RATINGS*

Sample ID	B5	(Pounds Per Acre)											
Water pH	Buffer Value	P Phosphorus	K Potassium	Ca Calcium	Mg Magnesium	Zn Zinc	Cu Copper	Fe Iron	Mn Manganese	B Boron	Na Sodium	S Sulfur	Nitrates (ppm)
6.3		64 H	144 M	1626 S	354 S								
		Organic Matter %	Soluble Salts PPM**										

RECEIVED

SEP 01 2010

Permit Section

SWINDLE - Page 1

*Ratings: Indicates relative availability of nutrients to plants. (See back of this form for detailed explanation.)

**PPM = Parts per Million

If you have questions about these recommendations, contact your County Extension office.

Visit our web site at <http://soilplantandpest.utk.edu> for additional information.

RECOMMENDATIONS**B5****Fertilizer/Lime Application Rate and Timing****Cool Season Grass Pasture b. Maintenance****N / P₂O₅ / K₂O**

Nitrogen/Phosphate/Potash: 60-120 / 0 / 30 pounds per acre

Limestone:

Lime is not recommended at this time

Apply recommended amounts of phosphate and potash in one application anytime during the year. Apply 60 pounds of nitrogen per acre August 15 to September 15 and from March 1 to March 30. If additional growth is only needed during one season, apply nitrogen for that season only. If fescue is stockpiled in the fall, apply 60 pounds of N per acre August 15 to September 15.

County: Macon

Lab Number: 383763

Mehlich 1 SOIL TEST RESULTS and RATINGS*

Sample ID		B3		(Pounds Per Acre)																				
Water pH	Buffer Value	P Phosphorus		K Potassium		Ca Calcium		Mg Magnesium		Zn Zinc		Cu Copper		Fe Iron		Mn Manganese		B Boron		Na Sodium		S Sulfur		Nitrates (ppm)
6.3		9	L	168	H	1339	S	294	S															
		Organic Matter %	Soluble Salts PPM**																					

RECOMMENDATIONS**B3****Fertilizer/Lime Application Rate and Timing****Cool Season Grass Pasture b. Maintenance****N / P₂O₅ / K₂O**

Nitrogen/Phosphate/Potash: 60-120 / 60 / 0 pounds per acre

Limestone:

Lime is not recommended at this time

Apply recommended amounts of phosphate and potash in one application anytime during the year. Apply 60 pounds of nitrogen per acre August 15 to September 15 and from March 1 to March 30. If additional growth is only needed during one season, apply nitrogen for that season only. If fescue is stockpiled in the fall, apply 60 pounds of N per acre August 15 to September 15.

County: Macon

Lab Number: 383764

Mehlich 1 SOIL TEST RESULTS and RATINGS*

Sample ID		S1	(Pounds Per Acre)										
Water pH	Buffer Value	P Phosphorus	K Potassium	Ca Calcium	Mg Magnesium	Zn Zinc	Cu Copper	Fe Iron	Mn Manganese	B Boron	Na Sodium	S Sulfur	Nitrates (ppm)
6.3		31 H	89 L	1358 S	250 S								
		Organic Matter %	Soluble Salts PPM**										

RECOMMENDATIONS**S1****Fertilizer/Lime Application Rate and Timing****Grass/Legume Hay b. Maintenance****N / P₂O₅ / K₂O**

Nitrogen/Phosphate/Potash: 30-120 / 0 / 60 pounds per acre

Limestone:

Lime is not recommended at this time

RECEIVED

SEP 01 2010

Permit Section

SWINDLE - Page 2

*Ratings: Indicates relative availability of nutrients to plants. (See back of this form for detailed explanation.)

**PPM = Parts per Million

If you have questions about these recommendations, contact your County Extension office.

Visit our web site at <http://soilplantandpest.utk.edu> for additional information.

Apply 30 pounds of N per acre March 1-30 and again after first cutting if an additional cutting is expected. For fall stockpiling of fescue apply 60 pounds of N per acre August 15 to September 15 to all fescue clover mixtures.

Apply recommended amounts of phosphate and potash in one application anytime during the year. If more than 4 tons of lime per acre are required, apply only 4 tons of lime per acre and re-test after one year.

County: Macon

Lab Number: 383765

Mehlich 1 SOIL TEST RESULTS and RATINGS*

Sample ID		(Pounds Per Acre)											
Water pH	Buffer Value	P Phosphorus	K Potassium	Ca Calcium	Mg Magnesium	Zn Zinc	Cu Copper	Fe Iron	Mn Manganese	B Boron	Na Sodium	S Sulfur	Nitrates (ppm)
6.4		44 H	289 H	1450 S	348 S								
		Organic Matter %	Soluble Salts PPM**										

RECOMMENDATIONS

S2

Fertilizer/Lime Application Rate and Timing

Grass-Clover Pasture b. Maintenance

N / P₂O₅ / K₂O

Nitrogen/Phosphate/Potash: 0-90 / 0 / 0 pounds per acre

Limestone: Lime is not recommended at this time

The nitrogen should be omitted on pastures containing more than 30 percent clover in the spring, otherwise if clover is less than 30 percent of the pasture apply 30 pounds of nitrogen per acre between March 1-30. For fall stockpiling of fescue apply 60 pounds of N per acre August 15 to September 15 to all fescue-clover mixtures.

Apply recommended amounts of phosphate and potash in one application anytime during the year. If more than 4 tons of lime per acre are required, apply only 4 tons of lime per acre and re-test after one year.

County: Macon

Lab Number: 383766

Mehlich 1 SOIL TEST RESULTS and RATINGS*

Sample ID		(Pounds Per Acre)											
Water pH	Buffer Value	P Phosphorus	K Potassium	Ca Calcium	Mg Magnesium	Zn Zinc	Cu Copper	Fe Iron	Mn Manganese	B Boron	Na Sodium	S Sulfur	Nitrates (ppm)
6.1		10 L	241 H	1316 S	237 S								
		Organic Matter %	Soluble Salts PPM**										

RECOMMENDATIONS

D4

Fertilizer/Lime Application Rate and Timing

Cool Season Grass Pasture b. Maintenance

N / P₂O₅ / K₂O

Nitrogen/Phosphate/Potash: 60-120 / 60 / 0 pounds per acre

Limestone: Lime is not recommended at this time

Apply recommended amounts of phosphate and potash in one application anytime during the year. Apply 60 pounds of nitrogen per acre August 15 to September 15 and from March 1 to March 30. If additional growth is only needed during one season, apply nitrogen for that season only. If fescue is stockpiled in the fall, apply 60 pounds of N per acre August 15 to September 15.

County: Macon

SEP 01 2010

Lab Number: 383767

Permit Section

SWINDLE - Page 3

*Ratings: Indicates relative availability of nutrients to plants. (See back of this form for detailed explanation.)

**PPM = Parts per Million

If you have questions about these recommendations, contact your County Extension office.

Visit our web site at <http://soilplantandpest.utk.edu> for additional information.

Mehlich 1 SOIL TEST RESULTS and RATINGS*

(Pounds Per Acre)

Sample ID	D6																
Water pH	Buffer Value	P Phosphorus	K Potassium	Ca Calcium	Mg Magnesium	Zn Zinc	Cu Copper	Fe Iron	Mn Manganese	B Boron	Na Sodium	S Sulfur	Nitrates (ppm)				
6.3		37 H	104 M	1224 S	319 S												
		Organic Matter %	Soluble Salts PPM**														

RECOMMENDATIONS

Fertilizer/Lime Application Rate and Timing

D6

Grass-Clover Pasture b. Maintenance

N / P₂O₅ / K₂O

Nitrogen/Phosphate/Potash: 0-90 / 0 / 30 pounds per acre

Limestone:

Lime is not recommended at this time

The nitrogen should be omitted on pastures containing more than 30 percent clover in the spring, otherwise if clover is less than 30 percent of the pasture apply 30 pounds of nitrogen per acre between March 1-30. For fall stockpiling of fescue apply 60 pounds of N per acre August 15 to September 15 to all fescue-clover mixtures.

Apply recommended amounts of phosphate and potash in one application anytime during the year. If more than 4 tons of lime per acre are required, apply only 4 tons of lime per acre and re-test after one year.

Lab Number: 383768

County: Macon

Mehlich 1 SOIL TEST RESULTS and RATINGS*

(Pounds Per Acre)

Sample ID	TA1																
Water pH	Buffer Value	P Phosphorus	K Potassium	Ca Calcium	Mg Magnesium	Zn Zinc	Cu Copper	Fe Iron	Mn Manganese	B Boron	Na Sodium	S Sulfur	Nitrates (ppm)				
6.6		31 H	71 L	1596 S	378 S												
		Organic Matter %	Soluble Salts PPM**														

RECEIVED

SEP 01 2010

Permit Section

RECOMMENDATIONS

Fertilizer/Lime Application Rate and Timing

TA1

Grass/Legume Hay b. Maintenance

N / P₂O₅ / K₂O

Nitrogen/Phosphate/Potash: 30-120 / 0 / 60 pounds per acre

Limestone:

Lime is not recommended at this time

Apply 30 pounds of N per acre March 1-30 and again after first cutting if an additional cutting is expected. For fall stockpiling of fescue apply 60 pounds of N per acre August 15 to September 15 to all fescue clover mixtures.

Apply recommended amounts of phosphate and potash in one application anytime during the year. If more than 4 tons of lime per acre are required, apply only 4 tons of lime per acre and re-test after one year.

Lab Number: 383769

County: Macon

Mehlich 1 SOIL TEST RESULTS and RATINGS*

(Pounds Per Acre)

Sample ID	T1B																
Water pH	Buffer Value	P Phosphorus	K Potassium	Ca Calcium	Mg Magnesium	Zn Zinc	Cu Copper	Fe Iron	Mn Manganese	B Boron	Na Sodium	S Sulfur	Nitrates (ppm)				
6.4		36 H	171 H	1265 S	344 S												

SWINDLE - Page 4

*Ratings: Indicates relative availability of nutrients to plants. (See back of this form for detailed explanation.)

**PPM = Parts per Million

If you have questions about these recommendations, contact your County Extension office.

Visit our web site at <http://soilplantandpest.utk.edu> for additional information.

Organic Soluble
Matter Salts
% PPM**

RECOMMENDATIONS

T1B

Fertilizer/Lime Application Rate and Timing

Grass/Legume Hay b. Maintenance

N / P₂O₅ / K₂O

Nitrogen/Phosphate/Potash: 30-120 / 0 / 0 pounds per acre

Limestone:

Lime is not recommended at this time

Apply 30 pounds of N per acre March 1-30 and again after first cutting if an additional cutting is expected. For fall stockpiling of fescue apply 60 pounds of N per acre August 15 to September 15 to all fescue clover mixtures.

Apply recommended amounts of phosphate and potash in one application anytime during the year. If more than 4 tons of lime per acre are required, apply only 4 tons of lime per acre and re-test after one year.

County: Macon

Lab Number: 383770

Mehlich 1 SOIL TEST RESULTS and RATINGS*

Sample ID T2

(Pounds Per Acre)

Water pH	Buffer Value	P Phosphorus	K Potassium	Ca Calcium	Mg Magnesium	Zn Zinc	Cu Copper	Fe Iron	Mn Manganese	B Boron	Na Sodium	S Sulfur	Nitrates (ppm)
6.6		46 H	72 L	1973 S	369 S								
		Organic Matter %	Soluble Salts PPM**										

RECOMMENDATIONS

T2

Fertilizer/Lime Application Rate and Timing

Grass/Legume Hay b. Maintenance

N / P₂O₅ / K₂O

Nitrogen/Phosphate/Potash: 30-120 / 0 / 60 pounds per acre

Limestone:

Lime is not recommended at this time

Apply 30 pounds of N per acre March 1-30 and again after first cutting if an additional cutting is expected. For fall stockpiling of fescue apply 60 pounds of N per acre August 15 to September 15 to all fescue clover mixtures.

Apply recommended amounts of phosphate and potash in one application anytime during the year. If more than 4 tons of lime per acre are required, apply only 4 tons of lime per acre and re-test after one year.

County: Macon

Lab Number: 383771

Mehlich 1 SOIL TEST RESULTS and RATINGS*

Sample ID JB1

(Pounds Per Acre)

Water pH	Buffer Value	P Phosphorus	K Potassium	Ca Calcium	Mg Magnesium	Zn Zinc	Cu Copper	Fe Iron	Mn Manganese	B Boron	Na Sodium	S Sulfur	Nitrates (ppm)
6.7		21 M	73 L	1825 S	310 S								
		Organic Matter %	Soluble Salts PPM**										

RECEIVED

SEP 01 2010

Permit Section

*Ratings: Indicates relative availability of nutrients to plants. (See back of this form for detailed explanation.)

**PPM = Parts per Million

If you have questions about these recommendations, contact your County Extension office.

Visit our web site at <http://soilplantandpest.utk.edu> for additional information.

Fertilizer/Lime Application Rate and Timing

JB1

Cool Season Grass Pasture b. Maintenance

$$N / P_2O_5 / K_2O$$

Nitrogen/Phosphate/Potash: 60-120 / 30 / 60 pounds per acre

Limestone:

Lime is not recommended at this time

Limestone: Lime is not recommended at this time. Apply 60 pounds of phosphate and potash in one application anytime during the year. Apply 60 pounds of nitrogen per acre August 15 to September 15 and from March 1 to March 30. If additional growth is only needed during one season, apply nitrogen for that season only. If fescue is stockpiled in the fall, apply 60 pounds of N per acre August 15 to September 15.

Lab Number: 383772

Lab Number: 383772

County: Macon

Mehlich-1 SOIL TEST RESULTS and RATINGS

(Pounds Per Acre)

[illegible]

Fertilizer/Lime Application Rate and Timing

JF2

Grass Hay b. Maintenance

$$\text{N} / \text{P}_2\text{O}_5 / \text{K}_2\text{O}$$

Nitrogen/Phosphate/Potash: 60-165 / 30 / 60 pounds per acre

Limestone:

Lime is not recommended at this time

Limestone: Lime is not recommended at this time. Apply recommended amounts of phosphate and potash in one application anytime during the year. Apply 60 pounds of nitrogen per acre March 1-30. Where a second cutting is expected, apply an additional 45 pounds of N per acre immediately after the first cutting. If fescue is stockpiled in the fall, apply 60 pounds of N per acre August 15 to September 15.

September 15.

If urea is the nitrogen source, especially for fall topdressings, some loss of nitrogen may occur if applied to moist soils followed by three or more days of rapidly drying conditions without rainfall. If more than 4 tons of lime per acre are required, apply only 4 tons of lime per acre and re-test after one year.

Lab Number: 383773

Lab Number: 383773

County: Macon

Mehlich 1 SOIL TEST RESULTS and RATINGS

(Pounds Per Acre)

Sample ID		JF3											
Water pH	Buffer Value	P Phosphorus	K Potassium	Ca Calcium	Mg Magnesium	Zn Zinc	Cu Copper	Fe Iron	Mn Manganese	B Boron	Na Sodium	S Sulfur	Nitrates (ppm)
7.0		37 H	39 L	1882 S	300 S								
		Organic Matter %	Soluble Salts PPM**										

RECEIVED

RECEIVED

SEP 01 2010

Permit Section

*Ratings: Indicates relative availability of nutrients to plants. (See back of this form for detailed explanation.)

****PPM = Parts per Million**

If you have questions about these recommendations, contact your County Extension office.

Visit our web site at <http://soilplantandpest.utk.edu> for additional information.

RECOMMENDATIONS**Fertilizer/Lime Application Rate and Timing**

JF3

Grass Hay b. MaintenanceN / P₂O₅ / K₂O

Nitrogen/Phosphate/Potash: 60-165 / 0 / 60 pounds per acre

Limestone:

Lime is not recommended at this time

Apply recommended amounts of phosphate and potash in one application anytime during the year. Apply 60 pounds of nitrogen per acre March 1-30. Where a second cutting is expected, apply an additional 45 pounds of N per acre immediately after the first cutting. If fescue is stockpiled in the fall, apply 60 pounds of N per acre August 15 to September 15.

If urea is the nitrogen source, especially for fall topdressings, some loss of nitrogen may occur if applied to moist soils followed by three or more days of rapidly drying conditions without rainfall. If more than 4 tons of lime per acre are required, apply only 4 tons of lime per acre and re-test after one year.

Lab Number: 383774

County: Macon

Mehlich 1 SOIL TEST RESULTS and RATINGS*

Sample ID		J10												(Pounds Per Acre)	
Water pH	Buffer Value	P Phosphorus	K Potassium	Ca Calcium	Mg Magnesium	Zn Zinc	Cu Copper	Fe Iron	Mn Manganese	B Boron	Na Sodium	S Sulfur	Nitrates (ppm)		
6.5		47 H	47 L	1596 S	266 S										
		Organic Matter %	Soluble Salts PPM**												

RECOMMENDATIONS**Fertilizer/Lime Application Rate and Timing**

J10

Grass-Clover Pasture b. MaintenanceN / P₂O₅ / K₂O

Nitrogen/Phosphate/Potash: 0-90 / 0 / 60 pounds per acre

Limestone:

Lime is not recommended at this time

The nitrogen should be omitted on pastures containing more than 30 percent clover in the spring, otherwise if clover is less than 30 percent of the pasture apply 30 pounds of nitrogen per acre between March 1-30. For fall stockpiling of fescue apply 60 pounds of N per acre August 15 to September 15 to all fescue-clover mixtures.

Apply recommended amounts of phosphate and potash in one application anytime during the year. If more than 4 tons of lime per acre are required, apply only 4 tons of lime per acre and re-test after one year.

Lab Number: 383775

County: Macon

Mehlich 1 SOIL TEST RESULTS and RATINGS*

Sample ID		J9												(Pounds Per Acre)	
Water pH	Buffer Value	P Phosphorus	K Potassium	Ca Calcium	Mg Magnesium	Zn Zinc	Cu Copper	Fe Iron	Mn Manganese	B Boron	Na Sodium	S Sulfur	Nitrates (ppm)		
6.5		15 L	88 L	1622 S	237 S										
		Organic Matter %	Soluble Salts PPM**												

RECEIVED

SEP 01 2010

Permit Section

SWINDLE - Page 7

*Ratings: Indicates relative availability of nutrients to plants. (See back of this form for detailed explanation.)

**PPM = Parts per Million

If you have questions about these recommendations, contact your County Extension office.

Visit our web site at <http://soilplantandpest.utk.edu> for additional information.

RECOMMENDATIONS**Fertilizer/Lime Application Rate and Timing**

J9

Grass-Clover Pasture b. MaintenanceN / P₂O₅ / K₂O

Nitrogen/Phosphate/Potash: 0-90 / 60 / 60 pounds per acre

Limestone:

Lime is not recommended at this time

The nitrogen should be omitted on pastures containing more than 30 percent clover in the spring, otherwise if clover is less than 30 percent of the pasture apply 30 pounds of nitrogen per acre between March 1-30. For fall stockpiling of fescue apply 60 pounds of N per acre August 15 to September 15 to all fescue-clover mixtures.

Apply recommended amounts of phosphate and potash in one application anytime during the year. If more than 4 tons of lime per acre are required, apply only 4 tons of lime per acre and re-test after one year.

County: Macon

Lab Number: 383776

Mehlich 1 SOIL TEST RESULTS and RATINGS*

Sample ID	J2	(Pounds Per Acre)												
Water pH	Buffer Value	P Phosphorus	K Potassium	Ca Calcium	Mg Magnesium	Zn Zinc	Cu Copper	Fe Iron	Mn Manganese	B Boron	Na Sodium	S Sulfur	Nitrates (ppm)	
6.3		33 H	136 M	1569 S	312 S									
		Organic Matter %	Soluble Salts PPM**											

RECOMMENDATIONS**Fertilizer/Lime Application Rate and Timing**

J2

Cool Season Grass Pasture b. MaintenanceN / P₂O₅ / K₂O

Nitrogen/Phosphate/Potash: 60-120 / 0 / 30 pounds per acre

Limestone:

Lime is not recommended at this time

Apply recommended amounts of phosphate and potash in one application anytime during the year. Apply 60 pounds of nitrogen per acre August 15 to September 15 and from March 1 to March 30. If additional growth is only needed during one season, apply nitrogen for that season only. If fescue is stockpiled in the fall, apply 60 pounds of N per acre August 15 to September 15.

County: Macon

Lab Number: 383777

Mehlich 1 SOIL TEST RESULTS and RATINGS*

Sample ID	J5	(Pounds Per Acre)												
Water pH	Buffer Value	P Phosphorus	K Potassium	Ca Calcium	Mg Magnesium	Zn Zinc	Cu Copper	Fe Iron	Mn Manganese	B Boron	Na Sodium	S Sulfur	Nitrates (ppm)	
6.4		23 M	321 V	1660 S	301 S									
		Organic Matter %	Soluble Salts PPM**											

RECOMMENDATIONS**Fertilizer/Lime Application Rate and Timing**

J5

Cool Season Grass Pasture b. MaintenanceN / P₂O₅ / K₂O

Nitrogen/Phosphate/Potash: 60-120 / 30 / 0 pounds per acre

Limestone:

Lime is not recommended at this time

RECEIVED

SEP 01 2010

Permit Section

SWINDLE - Page 8

*Ratings: Indicates relative availability of nutrients to plants. (See back of this form for detailed explanation.)

**PPM = Parts per Million

If you have questions about these recommendations, contact your County Extension office.

Visit our web site at <http://soilplantandpest.utk.edu> for additional information.

Apply recommended amounts of phosphate and potash in one application anytime during the year. Apply 60 pounds of nitrogen per acre August 15 to September 15 and from March 1 to March 30. If additional growth is only needed during one season, apply nitrogen for that season only. If fescue is stockpiled in the fall, apply 60 pounds of N per acre August 15 to September 15.

County: Macon

Lab Number: 383778

Mehlich 1 SOIL TEST RESULTS and RATINGS*

Sample ID		J4	(Pounds Per Acre)										
Water pH	Buffer Value	P Phosphorus	K Potassium	Ca Calcium	Mg Magnesium	Zn Zinc	Cu Copper	Fe Iron	Mn Manganese	B Boron	Na Sodium	S Sulfur	Nitrates (ppm)
6.4		33 H	156 M	1848 S	330 S								
		Organic Matter %	Soluble Salts PPM**										

RECOMMENDATIONS

J4

Fertilizer/Lime Application Rate and Timing

Cool Season Grass Pasture b. Maintenance

N / P₂O₅ / K₂O

Nitrogen/Phosphate/Potash: 60-120 / 0 / 30 pounds per acre

Limestone:

Lime is not recommended at this time

Apply recommended amounts of phosphate and potash in one application anytime during the year. Apply 60 pounds of nitrogen per acre August 15 to September 15 and from March 1 to March 30. If additional growth is only needed during one season, apply nitrogen for that season only. If fescue is stockpiled in the fall, apply 60 pounds of N per acre August 15 to September 15.

County: Macon

Lab Number: 383779

Mehlich 1 SOIL TEST RESULTS and RATINGS*

Sample ID		J3	(Pounds Per Acre)										
Water pH	Buffer Value	P Phosphorus	K Potassium	Ca Calcium	Mg Magnesium	Zn Zinc	Cu Copper	Fe Iron	Mn Manganese	B Boron	Na Sodium	S Sulfur	Nitrates (ppm)
6.3		22 M	56 L	1382 S	208 S								
	Organic Matter %	Soluble Salts ppm**											

RECOMMENDATIONS

J3

Fertilizer/Lime Application Rate and Timing

Grass-Clover Pasture b. Maintenance

N / P₂O₅ / K₂O

Nitrogen/Phosphate/Potash: 0-90 / 30 / 60 pounds per acre

Limestone:

Lime is not recommended at this time

The nitrogen should be omitted on pastures containing more than 30 percent clover in the spring, otherwise if clover is less than 30 percent of the pasture apply 30 pounds of nitrogen per acre between March 1-30. For fall stockpiling of fescue apply 60 pounds of N per acre August 15 to September 15 to all fescue-clover mixtures.

Apply recommended amounts of phosphate and potash in one application anytime during the year. If more than 4 tons of lime per acre are required, apply only 4 tons of lime per acre and re-test after one year.

County: Macon

RECEIVED

Lab Number: 383780

SEP 01 2010

SWINDLE - Page 9

*Ratings: Indicates relative availability of nutrients to plants. (See back of this form for detailed explanation.)

**PPM = Parts per Million

If you have questions about these recommendations, contact your County Extension office.

Visit our web site at <http://soilplantandpest.utk.edu> for additional information.

Me. ch 1 SOIL TEST RESULTS and RAT S*												
(Pounds Per Acre)												
Sample ID	B7	P	K	Ca	Mg	Zn	Cu	Fe	Mn	B	Na	S
Water pH	Buffer Value	Phosphorus	Potassium	Calcium	Magnesium	Zinc	Copper	Iron	Manganese	Boron	Sodium	Sulfur
6.3		132 V	145 M	1747 S	340 S							
		Organic Matter %	Soluble Salts PPM**									Nitrates (ppm)

RECOMMENDATIONS

Fertilizer/Lime Application Rate and Timing

B7

Cool Season Grass Pasture b. Maintenance

N / P₂O₅ / K₂O

Nitrogen/Phosphate/Potash: 60-120 / 0 / 30 pounds per acre

Limestone:

Lime is not recommended at this time

Apply recommended amounts of phosphate and potash in one application anytime during the year. Apply 60 pounds of nitrogen per acre August 15 to September 15 and from March 1 to March 30. If additional growth is only needed during one season, apply nitrogen for that season only. If fescue is stockpiled in the fall, apply 60 pounds of N per acre August 15 to September 15.

RECEIVED

SEP 01 2010

Permit Section

SWINDLE - Page 10

*Ratings: Indicates relative availability of nutrients to plants. (See back of this form for detailed explanation.)

**PPM = Parts per Million

If you have questions about these recommendations, contact your County Extension office.

Visit our web site at <http://soilplantandpest.utk.edu> for additional information.

SOIL TEST REPORT

DEWEY SWINDLE
2440 COLEYTOWN ROAD

LAFAYETTE, TN 37083

Deborah K. Joines

Deborah K. Joines
Manager
Soil, Plant and Pest Center
5201 Marchant Drive
Nashville, TN 37211-5112
(615) 832-5850
soilplantpestcenter@utk.edu

Date Tested: 3/18/2009

County: Macon

Lab Number: 361085

Mehlich 1 SOIL TEST RESULTS and RATINGS*

Sample ID	D6	(Pounds Per Acre)										
Water pH	Buffer Value	P Phosphorus	K Potassium	Ca Calcium	Mg Magnesium	Zn Zinc	Cu Copper	Fe Iron	Mn Manganese	B Boron	Na Sodium	Nitrates (ppm)
5.9	7.4	48 H	364 V	1216 S	298 S							
		Organic Matter %	Soluble Salts PPM**									

RECOMMENDATIONS

D6

Fertilizer/Lime Application Rate and Timing

Grass-Clover Pasture b. Maintenance

N / P₂O₅ / K₂O

Nitrogen/Phosphate/Potash: 0-90 / 0 / 0 pounds per acre

Limestone: 2 tons per acre

The nitrogen should be omitted on pastures containing more than 30 percent clover in the spring, otherwise if clover is less than 30 percent of the pasture apply 30 pounds of nitrogen per acre between March 1-30. For fall stockpiling of fescue apply 60 pounds of N per acre August 15 to September 15 to all fescue-clover mixtures.

Apply recommended amounts of phosphate and potash in one application anytime during the year. If more than 4 tons of lime per acre are required, apply only 4 tons of lime per acre and re-test after one year.

County: Macon

Lab Number: 361086

Mehlich 1 SOIL TEST RESULTS and RATINGS*

Sample ID	D5	(Pounds Per Acre)										
Water pH	Buffer Value	P Phosphorus	K Potassium	Ca Calcium	Mg Magnesium	Zn Zinc	Cu Copper	Fe Iron	Mn Manganese	B Boron	Na Sodium	Nitrates (ppm)
5.5	7.4	22 M	170 H	904 S	162 S							
		Organic Matter %	Soluble Salts PPM**									

RECEIVED

SEP 01 2010

Permit Section

RECOMMENDATIONS**D5****Fertilizer/Lime Application Rate and Timing****Grass-Clover Pasture b. Maintenance****N / P₂O₅ / K₂O**

Nitrogen/Phosphate/Potash: 0-90 / 30 / 0 pounds per acre

Limestone: 2.5 tons per acre

The nitrogen should be omitted on pastures containing more than 30 percent clover in the spring, otherwise if clover is less than 30 percent of the pasture apply 30 pounds of nitrogen per acre between March 1-30. For fall stockpiling of fescue apply 60 pounds of N per acre August 15 to September 15 to all fescue-clover mixtures.

Apply recommended amounts of phosphate and potash in one application anytime during the year. If more than 4 tons of lime per acre are required, apply only 4 tons of lime per acre and re-test after one year.

County: Macon

Lab Number: 361087

Mehlich 1 SOIL TEST RESULTS and RATINGS*

Sample ID		D3										
		(Pounds Per Acre)										
Water pH	Buffer Value	P Phosphorus	K Potassium	Ca Calcium	Mg Magnesium	Zn Zinc	Cu Copper	Fe Iron	Mn Manganese	B Boron	Na Sodium	Nitrates (ppm)
6.2		12 L	155 M	1553 S	266 S							
		Organic Matter %	Soluble Salts PPM**									

RECOMMENDATIONS**D3****Fertilizer/Lime Application Rate and Timing****Grass-Clover Pasture b. Maintenance****N / P₂O₅ / K₂O**

Nitrogen/Phosphate/Potash: 0-90 / 60 / 30 pounds per acre

Limestone: Lime is not recommended at this time

The nitrogen should be omitted on pastures containing more than 30 percent clover in the spring, otherwise if clover is less than 30 percent of the pasture apply 30 pounds of nitrogen per acre between March 1-30. For fall stockpiling of fescue apply 60 pounds of N per acre August 15 to September 15 to all fescue-clover mixtures.

Apply recommended amounts of phosphate and potash in one application anytime during the year. If more than 4 tons of lime per acre are required, apply only 4 tons of lime per acre and re-test after one year.

County: Macon

Lab Number: 361088

Mehlich 1 SOIL TEST RESULTS and RATINGS*

Sample ID		J5										
		(Pounds Per Acre)										
Water pH	Buffer Value	P Phosphorus	K Potassium	Ca Calcium	Mg Magnesium	Zn Zinc	Cu Copper	Fe Iron	Mn Manganese	B Boron	Na Sodium	Nitrates (ppm)
6.2		84 H	468 V	2218 S	398 S							
		Organic Matter %	Soluble Salts PPM**									

RECOMMENDATIONS**J5****Fertilizer/Lime Application Rate and Timing****Grass-Clover Pasture b. Maintenance****N / P₂O₅ / K₂O**

Nitrogen/Phosphate/Potash: 0-90 / 0 / 0 pounds per acre

SWINDLE - Page 2

*Ratings: Indicates relative availability of nutrients to plants. (See back of this form for detailed explanation.)

**PPM = Parts per Million

If you have questions about these recommendations, contact your County Extension office.

Visit our web site at <http://soilplantandpest.utk.edu> for additional information.

RECEIVED

SEP 01 2010

Permit Section

Limestone: Lime is not recommended at this time

The nitrogen should be omitted on pastures containing more than 30 percent clover in the spring, otherwise if clover is less than 30 percent of the pasture apply 30 pounds of nitrogen per acre between March 1-30. For fall stockpiling of fescue apply 60 pounds of N per acre August 15 to September 15 to all fescue-clover mixtures.

Apply recommended amounts of phosphate and potash in one application anytime during the year. If more than 4 tons of lime per acre are required, apply only 4 tons of lime per acre and re-test after one year.

County: Macon

Lab Number: 361089

Mehlich 1 SOIL TEST RESULTS and RATINGS*

Sample ID		J10										
		(Pounds Per Acre)										
Water pH	Buffer Value	P Phosphorus	K Potassium	Ca Calcium	Mg Magnesium	Zn Zinc	Cu Copper	Fe Iron	Mn Manganese	B Boron	Na Sodium	Nitrates (ppm)
6.2		94 H	99 M	1852 S	326 S							
		Organic Matter %	Soluble Salts PPM**									

RECOMMENDATIONS

J10

Fertilizer/Lime Application Rate and Timing

Grass-Clover Pasture b. Maintenance

N / P₂O₅ / K₂O

Nitrogen/Phosphate/Potash: 0-90 / 0 / 30 pounds per acre

Limestone: Lime is not recommended at this time

The nitrogen should be omitted on pastures containing more than 30 percent clover in the spring, otherwise if clover is less than 30 percent of the pasture apply 30 pounds of nitrogen per acre between March 1-30. For fall stockpiling of fescue apply 60 pounds of N per acre August 15 to September 15 to all fescue-clover mixtures.

Apply recommended amounts of phosphate and potash in one application anytime during the year. If more than 4 tons of lime per acre are required, apply only 4 tons of lime per acre and re-test after one year.

County: Macon

Lab Number: 361090

Mehlich 1 SOIL TEST RESULTS and RATINGS*

Sample ID		J1										
		(Pounds Per Acre)										
Water pH	Buffer Value	P Phosphorus	K Potassium	Ca Calcium	Mg Magnesium	Zn Zinc	Cu Copper	Fe Iron	Mn Manganese	B Boron	Na Sodium	Nitrates (ppm)
6.0	7.4	35 H	102 M	1757 S	253 S							
		Organic Matter %	Soluble Salts PPM**									

RECEIVED

SEP 01 2010

RECOMMENDATIONS

J1

Fertilizer/Lime Application Rate and Timing

Permit Section

Grass-Clover Pasture b. Maintenance

N / P₂O₅ / K₂O

Nitrogen/Phosphate/Potash: 0-90 / 0 / 30 pounds per acre

Limestone: 2 tons per acre

The nitrogen should be omitted on pastures containing more than 30 percent clover in the spring, otherwise if clover is less than 30 percent of the pasture apply 30 pounds of nitrogen per acre between March 1-30. For fall stockpiling of fescue apply 60 pounds of N per acre August 15 to September 15 to all fescue-clover mixtures.

Apply recommended amounts of phosphate and potash in one application anytime during the year. If more than 4 tons of lime per acre are required, apply only 4 tons of lime per acre and re-test after one year.

County: Macon

Lab Number: 361091

Mehlich 1 SOIL TEST RESULTS and RATINGS*

Sample ID		J9		(Pounds Per Acre)												
Water pH	Buffer Value	P Phosphorus		K Potassium		Ca Calcium		Mg Magnesium		Zn Zinc	Cu Copper	Fe Iron	Mn Manganese	B Boron	Na Sodium	Nitrates (ppm)
5.7	7.3	29	M	297	H	1545	S	196	S							
		Organic Matter %	Soluble Salts PPM**													

RECOMMENDATIONS

J9

Fertilizer/Lime Application Rate and Timing

Grass-Clover Pasture b. Maintenance

N / P₂O₅ / K₂O

Nitrogen/Phosphate/Potash: 0-90 / 30 / 0 pounds per acre

Limestone: 2.5 tons per acre

The nitrogen should be omitted on pastures containing more than 30 percent clover in the spring, otherwise if clover is less than 30 percent of the pasture apply 30 pounds of nitrogen per acre between March 1-30. For fall stockpiling of fescue apply 60 pounds of N per acre August 15 to September 15 to all fescue-clover mixtures.

Apply recommended amounts of phosphate and potash in one application anytime during the year. If more than 4 tons of lime per acre are required, apply only 4 tons of lime per acre and re-test after one year.

County: Macon

Lab Number: 361092

Mehlich 1 SOIL TEST RESULTS and RATINGS*

Sample ID		J3		(Pounds Per Acre)								
Water pH	Buffer Value	P Phosphorus	K Potassium	Ca Calcium	Mg Magnesium	Zn Zinc	Cu Copper	Fe Iron	Mn Manganese	B Boron	Na Sodium	Nitrates (ppm)
5.5	7.3	45 H	322 V	1226 S	232 S							
		Organic Matter %	Soluble Salts PPM**									

RECEIVED

SEP 01 2010

RECEIVED

SEP 01 2010

RECOMMENDATIONS

J3

Fertilizer/Lime Application Rate and Timing

Grass-Clover Pasture b. Maintenance

N / P₂O₅ / K₂O

Nitrogen/Phosphate/Potash: 0-90 / 0 / 0 pounds per acre

Limestone: 2.5 tons per acre

The nitrogen should be omitted on pastures containing more than 30 percent clover in the spring, otherwise if clover is less than 30 percent of the pasture apply 30 pounds of nitrogen per acre between March 1-30. For fall stockpiling of fescue apply 60 pounds of N per acre August 15 to September 15 to all fescue-clover mixtures.


Apply recommended amounts of phosphate and potash in one application anytime during the year. If more than 4 tons of lime per acre are required, apply only 4 tons of lime per acre and re-test after one year.

County: Macon

Lab Number: 361093


Permit Section

Farm 7560



Dewey Swindle Poultry Operation

Farm 7036




RECEIVED

SEP 01 2010


Permit Section

09/01/2010
10:00 AM
10/1/2010


Farm 7091



Farm 7037



Farm 7560



RECEIVED


SEP 01 2010

Permit Section

RECEIVED

SEP 01 2010

Dewey Swindle Poult




Farm 1034

Public Road

Tot. 57.1 AC.

Farm 1
Stream
R.R.



RECEIVED


SEP 01 2010

Permit Section

Farm 7091




Farm 7037



Galen


Topo Map Name

Farm 7560



Dewey Swindle Poultry Operation

Farm 7036



Lat. Long
N 36.50727936
W 85.96885185

RECEIVED
SEP 01 2010
Permit Section

Pleasant Shade



United States Department of Agriculture
Farm Service Agency

Title String **Macon County, TN**

1:5,426



not to scale

RECEIVED


SEP 01 2010
2007 1st 7036

Permit Section

Wetland Identification
Map of Macon County, TN

4/11/10

Disclaimer: Wetland identifiers do not represent the size, shape or specific determination of the area. Refer to your original determination (CPA-026 and attached maps) for exact wetland boundaries and determinations, or contact NRCS.



United States Department of Agriculture
Farm Service Agency

Grid:

Macon County

RECEIVED


FSN 7091

SEP 01 2010

Permit Section



Disclaimer: Wetland identifiers do not represent the size, shape or specific determination of the area. Refer to your original determination (CPA-026 and attached maps) for exact wetland boundaries and determinations, or contact NRCS



United States Department of Agriculture
Farm Service Agency

2007-fsn 7091


Title String

Macon County, TN

12,823

= Pond

T Samples



not to scale


RECEIVED

SEP 01 2010

Permit Section

Warning: Wetland identifiers do not represent the size, shape or specific delineation of the area. Refer to your permit conditions and maps for exact wetland boundaries and designations, or contact FSA.

Farm 7037




Farm 3

Stream -----
Buffer -----

RECEIVED

SEP 01 2010

Permit Section



United States Department of Agriculture
Farm Service Agency

2007 fsn 7037

Title String

Macon County, TN

13,943

= Pond

S- Samples


not to scale
RECEIVED

SEP 01 2010

Permit Section

Disclaimer: We warrant that the information on this map, map, or aerial photograph was obtained from the best available information at the time of publication. We do not warrant the accuracy, completeness, or timeliness of the information. We do not warrant that the information is free from errors or omissions. We do not warrant that the information is suitable for any purpose other than that for which it was prepared. We do not warrant that the information is suitable for any purpose other than that for which it was prepared. We do not warrant that the information is suitable for any purpose other than that for which it was prepared.

Farm 7560



RECEIVED
SEP 01 2010
Permit Section

